Index

Power Reactor Technology

Volume 9

Note: The page range for each of the four issues of Vol. 9 is as follows:

No. 1, pages 1 to 63
No. 2, pages 65 to 100
No. 3, pages 101 to 152
No. 4, pages 153 to 213

A

Accidents
  loss-of-coolant, studies in fast breeder reactors by zone-loading experiments, 164-65
Aeroball system
  neutron-flux distribution measurement by, 28
Aluminum (SAP)
  use as fuel cladding in organic-cooled reactors, 138-39
Argon isotopes (^{40}Ar)
  use in neutron-flux distribution measurements, 28-29

B

Beacons
  lighting on offshore platforms, SNAP-7F power source for, 3
Bearings (liquid-metal)
  film-thickness measurement techniques, 125-26
Boilers
  development for Rankine-cycle power systems, 132-34, 200-04

C

Cavitation
  damage studies of metals in liquid alkali metals, instrument for, 128
Cobalt isotopes (^{60}Co)
  use as heat source in turbine-Rankine-cycle engine, 12-13
Computer programs
  development for loss-of-coolant accident, 47
  development for shielding analysis, 19-23
Condensers
  development for Rankine-cycle power systems, 210-13
  meteor vulnerability, 212-13
Conferences and meetings
  high-temperature instrumentation in liquid-metal experiments, 123-35
  two-phase fluid flow, 35-44
Copper alloys
  Cu–Fe–Zr, use as fuel cladding in organic-cooled reactors, 139
Critical experiments
  zone-loading for fast breeder reactors, 162-68
Critical mass
  estimating in fast breeders by zone-loading experiments, 166

D

Deep-submergence vehicles
  list, 7
  NR-1, 14-15
  nuclear powered for fisheries research, 4-8
  nuclear propulsion systems, 13-15
  SWR, 14
Density probes
  design of nuclear for measuring deep-sea sediments, 4
Divers
  scuba-suit heating by isotopic power, 6
Doppler effect
  measurement in zone-loaded fast breeder experiments, 164-65
Dowtherm A
  use as working fluid for turbine-Rankine-cycle engine, 13, 197-98
Drilling
  nuclear power sources for offshore, 2-3

E

Economics
  neutron-flux distribution measurements as aid in power increase, 25
  on-power refueling systems, 181
  organic coolants, 137-40
Engines (steam)
  radioisotope powered for oceanography applications, 12-13

F

Fishing industry
  nuclear power applications in, 4-8
Flowmeters
  for liquid-metal systems, 124-25
Fluid flow (two-phase)
  compressibility, effects on stability and burnout, 65-68
  inverse temperature profiles in boiling K, 129-30
  symposium on, review, 35-44
  volume-fraction measurements in liquid metals, 124-25
Foghorns
  on offshore platforms, SNAP-7A power source for, 3
Food
  harvesting from the ocean, nuclear power for, 4-8
Foils
  use in neutron-flux distribution measurements, 26, 86-94
France
  liquid-metal steam-generator program, 69-73

G

Gamma-adsorption analysis
  use in measuring volume fraction in two-phase flows, 124
Gases
  monitoring of inert in liquid metals, instrument for, 128
  use in neutron-flux distribution measurement, 28-29
Generators
  liquid-metal MHD, review, 188-92

H

Haynes 25 alloy
  performance as Hg boiler material, 134-35
HB-40
  properties as organic coolant, 137-40
Heat exchangers
  design for liquid metals, 177-79
Heat sources
  development of isotopic for oceanography applications, 9-10
Heat transfer
  coefficients for liquid metals, 174-79
  heat transfer in double-pipe liquid metal, method for determination of, 129
  inverse temperature profile in boiling two-phase flow of K, 129-30
Heaters
  for liquid-metal experiments, 123

I

Instruments
for high-temperature liquid-metal experiments, 123-35
Ion chambers
use in neutron-flux distribution measurement, 29-31
Iron alloys
Cu–Fe–Zr, use as fuel cladding in organic-cooled reactors, 139
Fe–Ni–Nb–Sb–Zr, use as fuel cladding in organic-cooled reactors, 139
Isotopic engines
development of steam piston, 13
development of turbine-Rankine-cycle system, 12-13
Isotopic thermal power systems
application in oceanography, 9-10
Isotopic thermoelectric systems
application in oceanography, 10-12

L

Liquid-metal steam generators
U. S. and French programs, 69-73

M

Magnetohydrodynamic power systems
review of technology, 187-92
Mercury
boiler development for Rankine-cycle power systems, 132-34, 200-02
condenser development for Rankine-cycle power systems, 210-11
pump development for Rankine-cycle power systems, 198
Metals (liquid)
cavitation damage studies, instrument for, 128
flowmeters, 124-25
heat-transfer coefficients, 174-79
heat transfer in double-pipe heat exchangers, method for determination of, 129
high-temperature instrumentation in experiments, 123-35
level measurement techniques, 126
monitoring for dissolved oxygen, instrument for, 128
monitoring for inert gases, instrument for, 128
pressure measurement, instrument for, 123-24
use in MHD power systems, 187-92
use in steam-generating systems, review of French program, 69-73
volume-fraction measurement in two-phase flow, 124-25
Minerals
exploration and production from the ocean floor, nuclear power for, 3-4
Mining
of minerals from the ocean floor, nuclear power for, 3-4

N

Neutron sources
design of high-flux research reactors for, 153-60
Neutron spectra
measurement in fast breeders by zone-loading experiments, 164
measurement in operating reactors, 25-33
measurement by two-detector cross-correlation, 142-43
measurement by pseudorandom binary inputs, 142-43
measurement of thermal and epithermal, 80-94
Nickel alloys
Fe–Ni–Nb–Sb–Zr, use as fuel cladding in organic-cooled reactors, 139
Niobium alloys
Fe–Ni–Nb–Sb–Zr, use as fuel cladding in organic-cooled reactors, 139
Nb–Zr, use as fuel cladding in organic-cooled reactors, 138-39
NR-1 deep-submergence vehicle
development, 7, 14
Nuclear ships
(see Ships (nuclear))

O

Oceanography
nuclear power applications, 1-17, 150-52
Ores
(see Minerals)
Organic materials
use as reactor coolants, 137-40
Organic Rankine-cycle power-system
development, 197-98, 209-10
Oxygen
monitoring in liquid metals, instrument for, 126
Ozhennite
use as cladding in organic-cooled reactors, 139

P

Petroleum
offshore exploration and production, nuclear power for, 1-3
Potassium (liquid)
boiler development for Rankine-cycle power systems, 202-04
condenser development for Rankine-cycle power systems, 211-12
inverse temperature profiles in boiling two-phase flow of, 129-30
pump development for Rankine-cycle power systems, 199-200
Pressure
measurement in liquid-metal systems, devices for, 123-24
Pressure vessels
cladding failure in water reactors, 101-109
cladding with stainless steel, 102-104
Propulsion
nuclear power systems for deep-submergence vehicles, 6-9, 12-17, 150-52
Prospecting
for minerals on the ocean floor, nuclear power for, 4
Protein
harvesting from the ocean, nuclear power for, 4-5
Pumps
development for Rankine-cycle power systems, 198-200

R

Radiators
development for Rankine-cycle power systems, 210-13
meteor vulnerability, 212-13
Radioisotope Submersible Engine (RISE)
development, 12-13
Rankine-cycle power systems
component development, 194-213
use in RISE, 12-13
Reactor control systems
optimal theory, 169-71
Reactor coolants
dynamics in fast reactors, effects on safety, 46-49
loss in fast breeders, analysis by zone-loading experiments, 164-65
materials for organic, technology advances, 137-40
Reactor fuels
uniform burnup, neutron-flux distribution measurements as aid in, 25-26
Reactor safety
neutron-flux distribution measurements in, 26
Reactors
core design, use of neutron-spectra measurements in, 80-94
kinetics, measurement in fast breeders by zone-loading experiments, 165
kinetics, nonlinear analysis, 171-72
neutron-flux distribution measurement in operating, 25-33
neutron-noise analysis, 142-43
neutron-spectra measurement by differential techniques, 80-86
neutron-spectra measurement by integral techniques, 86-94
power rating increase, use of neutron-flux distribution measurement in, 25
on-power refueling systems, merits of, 180-86
role in magnetohydrodynamic power systems, 187-92
shielding analysis, advance methods in, 19-23
Reactors (Big Rock Point)
modifications, description and procedures, 76-78
operating experience, outages, 112, 120-21
neutron-flux distribution measurement system, 25
Reactors (cavity)
design concepts for high-flux research, 159
Reactors (Connecticut Yankee)
neutron-flux distribution measurement system, 25
Reactors (Dresden)
neutron-flux distribution measurement system, 25-26
operating experience, outages, 112, 119
Reactors (EBR-II)
neutron-flux distribution measurement systems, 26
Reactors (EBWR)
modifications, description and procedures, 78
neutron-flux distribution measurement system, 28
pressure-vessel cladding failure, 102-06
pressure-vessel cladding with stainless steel, 102
Reactors (Elk River)
pressure-vessel cladding failure, 107-09
Reactors (fast)
power excursions, effect of coolant dynamics on events, 46-49
Reactors (fast breeder)
zone-loaded critical experiments, 162-68

Reactors (gas-cooled)
applications for undersea power plants, 15
Reactors (HBWR)
neutron-flux distribution measurement system, 26
Reactors (Heavy Water Components Test) (HWCTR)
modifications, description and procedures, 78
Reactors (heavy-water moderated)
lattice calculations and measurements, 145-46
Reactors (high-flux research)
design concepts, 153-60
Reactors (Humboldt Bay)
neutron-flux distribution measurement system, 25
operating experience, outages, 112, 121-22
Reactors (Indian Point)
operating experience, outages, 119-120
Reactors (liquid-metal-cooled)
steam generators, U. S. and French programs, 69-73
Reactors (MH-1A)
development for floating power source, 15-16
Reactors (NPD)
on-power refueling system, 180-86
Reactors (NR-1)
design concept, 152
Reactors (NRU)
on-power refueling systems, 180
Reactors (Oak Ridge Graphite)
neutron-flux distribution measurement system, 26
Reactors (Plutonium Recycle Test)
neutron-flux distribution measurement system, 28
Reactors (San Onofre)
neutron-flux distribution measurement system, 25, 28
Reactors (Saxton)
neutron-flux distribution measurement system, 25
Reactors (SELNI)
neutron-flux distribution measurement system, 28
Reactors (Shippingport)
operating experience, outages, 112, 117-19
Reactors (SNAP-8A)
development for deep-submergence vehicle propulsion, 13-14
Reactors (SNAP-10A)
design, 2
power source for offshore oil and gas platforms, 3
use as undersea power units, 13-14
158-59
Reactors (Sodium Experiment) (SRE)
modifications, description and procedures, 74-76
Reactors (supercritical-water)
development for deep-submergence vehicle propulsion, 14-15
Reactors (thin shell)
design concepts for high-flux research, 159-60
Reactors (TURPS)
applications for surface and undersea power plants, 15, 17
Reactors (UHTREX)
design and projected operating characteristics, 51-62
Reactors (water-moderated)
lattice calculations and measurements, 146-49
Reactors (Yankee)
neutron-flux distribution measurement system, 25, 26-28
operating experience, outages, 112, 115-17
power-rating increase, 25
pressure-vessel cladding failure, 106-07
RISE
[see Radioisotope Submersible Engine (RISE)]

S

Safety
zone-loaded critical experiments, 166-68
Santowax OM
properties as organic coolant, 137-40
Shielding
analysis, advance methods in, 13-23
Ships (nuclear)
development for fishing industry, 4-5
Sodium
boiler development for Rankine-cycle power systems, 204
two-phase flow of boiling, properties of, 131-32
Sodium–potassium alloys (liquid)
pump development for Rankine-cycle power systems, 198-99
reaction with water, 72-73
Spheres
use in neutron-flux distribution measurements, 27-28
Stainless steel
crack analysis in pressure-vessel cladding, 101-109
Steam generators
liquid metal, U. S. and French programs, 69-73
Submarines
(see also Deep-submergence vehicles)
development for deep-sea research, 6-9
Systems for Nuclear Auxiliary Power (SNAP-2)
component development for Rankine-cycle power system, 194-96, 199, 205-6
Systems for Nuclear Auxiliary Power (SNAP-7A)
use in navigational buoy, 10
Systems for Nuclear Auxiliary Power (SNAP-7B)
use in lighthouses, 10-11
Systems for Nuclear Auxiliary Power (SNAP-7C)
use in Antarctic weather station, 11
Systems for Nuclear Auxiliary Power (SNAP-7D)
use in Gulf of Mexico weather station, 11
Systems for Nuclear Auxiliary Power (SNAP-7E)
use in sonobuoy near Bermuda, 11-12
Systems for Nuclear Auxiliary Power (SNAP-7F)
use for beacons and foghorns on offshore oil platforms, 3
Systems for Nuclear Auxiliary Power (SNAP-8)
component development for Rankine-cycle power systems, 132-33, 194, 196-99, 201-02, 206, 211
development for deep-submergence vehicle propulsion, 13-14
Systems for Nuclear Auxiliary Power (SNAP-10A)
design, 2
use for offshore platform power units, 3
use for undersea power units, 13-14
Systems for Nuclear Auxiliary Power (SNAP-15)
development for undersea power sources, 11-12
Systems for Nuclear Auxiliary Power (SNAP-21)
development for undersea power sources, 12
Systems for Nuclear Auxiliary Power (SNAP-50/SPUR)
component development for Rankine-cycle power system, 194, 197, 206-08
Symposia
(see Conferences and meetings)

T

Terphenyls
(see Santowax OM and HB-40)
Thermometers
use in neutron-flux distribution measurements, 31
Tin alloys
Fe–Ni–Nb–Sb–Zr, use as fuel cladding in organic-cooled reactors, 139
Turbines (potassium vapor)
pressure measurement, devices for, 123-24
Turbogenerators
development for Rankine-cycle power systems, 204-10

U

Uranium carbides
UC–D_2O, critical masses and neutron buckling in lattices of, 145
Uranium oxides
PuO_2–UO_2–H_2O, critical masses and neutron buckling in lattices of, 146-47
UO_2, testing of Zr–Nb alloy-clad, in organic-cooled reactors, 138
UO_2–H_2O, critical masses and neutron buckling in lattices of, 147

W

Welding
stainless-steel cladding to pressure vessels, 101-02
Wires
use in neutron-flux distribution measurements, 26

Z

Zircaloy-2
use as fuel cladding in organic-cooled reactors, 139
Zirconium alloys
Cu–Fe–Zr, use as fuel cladding in organic-cooled reactors, 139
Fe–Ni–Nb–Sb–Zr, use as fuel cladding in organic-cooled reactors, 139
Nb–Zr, use as fuel cladding in organic-cooled reactors, 138-39

U. S. GOVERNMENT PRINTING OFFICE: 1967—252338/2